

Deborah C. Prosser (SBN 109856)  
Stephanie A. Hingle (SBN 199396)  
KUTAK ROCK LLP  
515 So. Figueroa Boulevard, Suite 1240  
Los Angeles, CA 90071  
Telephone: (213) 312-4000  
Facsimile: (213) 312-4001  
Email: Deborah.Prosser@KutakRock.com  
Email: Stephanie.Hingle@KutakRock.com

Attorneys for Defendants  
GENERAL ELECTRIC COMPANY and  
GE HEALTHCARE INC.

**UNITED STATES DISTRICT COURT**

**NORTHERN DISTRICT OF CALIFORNIA, SAN FRANCISCO DIVISION**

WILLIAM PASCHAL and  
PATRICIA PASCHAL,

Plaintiffs,

v.

BAYER HEALTHCARE  
PHARMACEUTICALS, INC.;  
BAYER HEALTHCARE LLC;  
GENERAL ELECTRIC  
COMPANY; GE HEALTHCARE,  
INC.; COVIDIEN, INC.;  
MALLINCKRODT, INC.; and  
BRACCO DIAGNOSTICS, INC.,

Defendants.

Case No. 3:08-CV-01298 EMC

**NOTICE OF RELATED CASE  
PURSUANT TO L.R. 83-1.3**

**[Jury Trial Demanded]**

**TO THE COURT, ALL PARTIES AND THEIR COUNSEL OF  
RECORD:**

**PLEASE TAKE NOTICE** that pursuant to Local Rule 83-1.3 for the  
United States District Court, Central District of California, Defendants General  
Electric Company and GE Healthcare Inc. identify the following related cases  
within the Central District:


///

- 1 (1) *Montie Beckwith, et al. v. Bayer Healthcare Pharmaceutical, Inc., et*  
2 *al.*, Case No. 3:08-CV-1369 (JCS) (filed on or about March 10, 2008).  
3 Plaintiffs have brought a personal injury claim arising out of the  
4 administration of Gadolinium-based contrast agents (“GBCA”) they  
5 claim were manufactured by GE Healthcare Inc. and other defendants.  
6 Plaintiffs assert traditional product liability claims against the  
7 defendants, including claims that the GBCA were defectively  
8 manufactured and accompanied by inadequate warnings.
- 9 (2) *Amy Osborn, et al. v. Bayer Healthcare Pharmaceuticals, Inc., et al.*,  
10 Case No. 3:08-cv-01368 (SI) (filed on or about March 10, 2008).  
11 Plaintiffs have brought a personal injury claim arising out of the  
12 administration of Gadolinium-based contrast agents (“GBCA”) they  
13 claim were manufactured by GE Healthcare Inc. and other defendants.  
14 Plaintiffs assert traditional product liability claims against the  
15 defendants, including claims that the GBCA were defectively  
16 manufactured and accompanied by inadequate warnings.
- 17 (3) *Joe V. Sanchez, et al. v. Bayer Healthcare Pharmaceuticals, Inc., et*  
18 *al.*, Case No. 03:08-CV-00973 (EMC), (filed on or about February 15,  
19 2008). Plaintiffs have brought a personal injury claim arising out of  
20 the administration of Gadolinium-based contrast agents (“GBCA”)  
21 they claim were manufactured by GE Healthcare Inc. and other  
22 defendants. Plaintiffs assert traditional product liability claims against  
23 the defendants, including claims that the GBCA were defectively  
24 manufactured and accompanied by inadequate warnings.
- 25 (4) *Orellene Seabold, et al. v. Bayer Healthcare Pharmaceuticals, Inc., et*  
26 *al.*, Case No. 03:08-CV-01367 (EMC), (filed on or about March 10,  
27 2008). Plaintiffs have brought a personal injury claim arising out of  
28 the administration of Gadolinium-based contrast agents (“GBCA”)

1 they claim were manufactured by GE Healthcare Inc. and other  
2 defendants. Plaintiffs assert traditional product liability claims against  
3 the defendants, including claims that the GBCA were defectively  
4 manufactured and accompanied by inadequate warnings.

5 Dated: March 25, 2008

KUTAK ROCK LLP

6  
7 By:   
8 Deborah C. Prosser  
9 Stephanie A. Hingle  
10 Attorneys for Defendants  
11 GENERAL ELECTRIC COMPANY  
12 and GE HEALTHCARE INC.  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28